

today WILL BE *THE* DAY...

VENTURE

VENTURE TRAILERS

We take the world boating.

VISIT VENTURE TRAILERS ONLINE: www.venturetrailers.com



to CATCH A **26 LB** SALMON
CONQUER *THE* INNER TUBE
REEL IN SOME FAMILY *fun*
discover A FORGOTTEN **COVE**
HAVE *THE* **TIME** OF *your life*

Venture Trailers has been manufacturing quality boat and watercraft trailers since 1988. Our trailers are engineered for performance and functionality. All components on our trailers, work together to give you a smooth ride, as well as make loading and launching your boat easy and convenient. We offer a wide range of models in both aluminum and hot dipped galvanized finishes. We continually strive to provide you with the best quality trailer at a competitive price.

VISIT: www.venturetrailers.com

Trailer Features:

- Corrosion resistant fasteners
- Larger than industry standard bunks
- Heavy duty winch straps
- Aluminum wheels
- Plug and play wire harnesses
- Marine grade disc brakes
- Super lube hubs
- D.O.T. compliant composite brakeline

- Aluminum diamond plate fenders
- Tire balancing and Tire Roadside Assistance Program
- National Marine Manufacturers Association and National Association of Trailer Manufacturers certified

NOTE: Some features are not standard on all models. Please check with your dealer for additional information.

ROLLER

PONTOON

SKIFF

WARRANTY

ALUMINUM

BUNK

WATERCRAFT

ACCESSORIES





BOW GUIDES STANDARD

(Non-load bearing)




TARGET BUNKS OPTIONAL




VATB-5225
(Poly sleeve optional)




VATB-7225
(Poly sleeve optional)



VATB-10625
(Poly sleeve optional)



VATR-3625



**WHAT
IS YOUR
FISHING
STORY @**

facebook.com/venturetrailers

ALUMINUM

MODEL	TIRE SIZE	LOAD CAP.	OVERALL BOAT LENGTH	COUPLER SIZE	BRAKES & TONGUE JACK
SINGLE AXLE BUNK // 2425-3325 LOAD CAPACITY					
VAB-2425	ST185/80D 13 LRD 5H	2425	16' - 18' *	2"	OPTIONAL
VAB-2625	ST205/75D 14 LRC 5H	2625	17' - 19' *	2"	OPTIONAL
VAB-2825	ST205/75D 14 LRC 5H	2825	18' - 20' *	2"	OPTIONAL
VAB-3025	ST215/75D 14 LRC 5H	3025	18' - 20' *	2"	STANDARD 1
VAB-3325	ST225/75D 15 LRD 6H	3325	20' - 22' *	2"	STANDARD 1

TANDEM AXLE BUNK // 3625-8725 LOAD CAPACITY					
VATB-3625	ST205/75D 14 LRC 5H	3625	18' - 20' *	2"	STANDARD 1
VATB-4225	ST205/75D 14 LRC 5H	4225	21' - 22' *	2"	STANDARD 1
VATB-5225	ST205/75D 14 LRC 5H	5225	21' - 22' *	2"	STANDARD 1
VATB-5925	ST205/75D 14 LRC 5H	5925	23' - 24' *	2"	STANDARD 1
VATB-6425	ST225/75D 15 LRD 6H	6425	24' - 25' *	2" (8,000 LB BALL)	STANDARD 1
VATB-7225	ST225/75D 15 LRD 6H	7225	25' - 26' *	2 5/16"	STANDARD 1
VATB-8025	ST225/75D 15 LRD 6H	8025	25' - 26' *	2 5/16"	STANDARD 1
VATB-8725	ST225/75D 15 LRD 6H	8725	27' - 29' *	2 5/16"	STANDARD 1

TRIPLE AXLE BUNK // 9625-18025 LOAD CAPACITY					
VATB-9625	ST225/75D 15 LRD 6H	9625	27' - 29' *	2 5/16"	STANDARD 2
VATB-10625	ST225/75D 15 LRD 6H	10625	27' - 29' *	2 5/16"	STANDARD 2
VATB-12625	ST225/75D 15 LRD 6H	12625	29' - 32' *	2 5/16"	STANDARD 3
VATB-15025	ST235/80R 16 LRE 8H	15025	32' - 36' *	2 5/16"	STANDARD 3
VATB-18025	ST235/80R 16 LRE 8H	18025	32' - 36' *	2 5/16"	STANDARD 3

MODEL	TIRE SIZE	LOAD CAP.	OVERALL BOAT LENGTH	# OF ROLLERS	COUPLER SIZE	BRAKES & TONGUE JACK
SINGLE AXLE ROLLER // 2425-3325 LOAD CAPACITY						
VAR-2425	ST185/80D 13 LRD 5H	2425	16' - 18' *	16	2"	OPTIONAL
VAR-2825	ST205/75D 14 LRC 5H	2825	18' - 20' *	20	2"	OPTIONAL
VAR-3025	ST215/75D 14 LRC 5H	3025	18' - 20' *	20	2"	STANDARD 1
VAR-3325	ST225/75D 15 LRD 6H	3325	20' - 22' *	20	2"	STANDARD 1

TANDEM AXLE ROLLER // 3625-6425 LOAD CAPACITY						
VATR-3625	ST205/75D 14 LRC 5H	3625	18' - 20' *	20	2"	STANDARD 1
VATR-4225	ST205/75D 14 LRC 5H	4225	21' - 22' *	24	2"	STANDARD 1
VATR-5225	ST205/75D 14 LRC 5H	5225	21' - 22' *	28	2"	STANDARD 1
VATR-6025	ST205/75D 15 LRC 5H	6025	23' - 24' *	44	2" (8,000 LB BALL)	STANDARD 1
VATR-6425	ST225/75D 15 LRD 5H	6425	24' - 25' *	44	2" (8,000 LB BALL)	STANDARD 1

* Please measure bow-eye to drain measurement on all boats.
Bow guides standard on all aluminum models.

VISIT US ONLINE // www.venturetrailers.com

ROLLER

PONTOON

SKIFF

WARRANTY

ALUMINUM


BUNK

WATERCRAFT

ACCESSORIES



VISIT US ONLINE // www.venturetrailers.com




VR-2450

(Tongue jack optional)



VRT-3650S



VRT-7950

**TELL US
YOUR
FISHING
STORY @**

facebook.com/venturetrailers

ROLLER

MODEL	TIRE SIZE	LOAD CAP.	OVERALL WIDTH	OVERALL BOAT LENGTH	FRAME SIZE	BETWEEN FENDER WIDTH	# OF ROLLERS	COUPLER SIZE	BRAKES & TONGUE JACK
SINGLE AXLE ROLLER // 1550-2450 LOAD CAPACITY									
VR-1550	5.30 X 12 LRC 5H	1550	78"	14' - 15' *	2 X 3	60"	12	2"	OPTIONAL
VR-1850	5.30 X 12 LRD 5H	1850	78"	15' - 16' *	2 X 3	60"	12	2"	OPTIONAL
VR-2050	ST175/80D 13 LRC 5H	2050	84"	16' - 17' *	3 X 3	67"	12	2"	OPTIONAL
VR-2250	ST185/80D 13 LRD 5H	2250	84"	17' - 18' *	3 X 3	67"	16	2"	OPTIONAL
VR-2450	ST205/75D 14 LRC 5H	2450	88"	17' - 18.5' *	3 X 3	67"	16	2"	OPTIONAL
SINGLE AXLE ROLLER // 2650-3350 LOAD CAPACITY									
VR-2650	ST205/75D 14 LRC 5H	2650	102"	18' - 19' *	3 X 5	84"	20	2"	OPTIONAL
VR-2850S	ST205/75D 15 LRC 5H	2850	102"	19' - 20' *	3 X 5	84"	20	2"	OPTIONAL
VR-2850	ST205/75D 15 LRC 5H	2850	102"	20' - 21' *	3 X 5	84"	20	2"	OPTIONAL
VR-3050S	ST215/75D 14 LRC 5H	3050	102"	18' - 20' *	3 X 5	84"	20	2"	STANDARD
VR-3150	ST215/75D 14 LRC 5H	3150	102"	20' - 21' *	3 X 5	84"	20	2"	STANDARD
VR-3350	ST225/75D 15 LRD 6H	3350	102"	20' - 21' *	3 X 5	84"	20	2"	STANDARD
TANDEM AXLE ROLLER // 3650-7950 LOAD CAPACITY									
VRT-3650S	ST205/75D 14 LRC 5H	3650	102"	18' - 20' *	3 X 5	84"	20	2"	STANDARD 1
VRT-3750	ST205/75D 14 LRC 5H	3750	102"	21' - 23' *	3 X 5	84"	20	2"	STANDARD 1
VRT-4250	ST205/75D 14 LRC 5H	4250	102"	21' - 23' *	3 X 5	84"	24	2"	STANDARD 1
VRT-4750	ST205/75D 14 LRC 5H	4750	102"	21' - 23' *	3 X 5	84"	28	2"	STANDARD 1
VRT-5250	ST205/75D 15 LRC 5H	5250	102"	21' - 23' *	3 X 5	84"	32	2"	STANDARD 1
VRT-5650	ST205/75D 15 LRC 5H	5650	102"	21' - 23' *	3 X 5	84"	32	2" (8,000 LB BALL)	STANDARD 1
VRT-5950	ST225/75D 15 LRD 5H	5950	102"	24' - 25' *	3 X 5	84"	44	2" (8,000 LB BALL)	STANDARD 1
VRT-6450	ST225/75D 15 LRD 6H	6450	102"	25' - 26' *	3 X 5	84"	52	2" (8,000 LB BALL)	STANDARD 1
VRT-7450	ST225/75D 15 LRD 6H	7450	102"	25' - 27' *	3 X 5	84"	60	2 5/16"	STANDARD 1
VRT-7950	ST225/75D 15 LRD 6H	7950	102"	25' - 27' *	3 X 5	84"	64	2 5/16"	STANDARD 1
TRIPLE AXLE ROLLER // 8650-10850 LOAD CAPACITY									
VRT-8650	ST205/75D 14 LRC 5H	8650	102"	27' - 28' *	3 X 5	84"	64	2 5/16"	STANDARD 2
VRT-9250	ST225/75D 15 LRD 6H	9250	102"	28' - 30' *	3 X 5	84"	64	2 5/16"	STANDARD 2
VRT-10850	ST225/75D 15 LRD 6H	10850	102"	29' - 31' *	3 X 5	84"	64	2 5/16"	STANDARD 2
* Please measure bow-eye to drain measurement on all boats.									

ROLLER

PONTOON

SKIFF

WARRANTY


BUNK

WATERCRAFT

ACCESSORIES



VB-1000
(Tongue jack optional)



VB-1300
(Tongue jack optional)



VB-2200
(Tongue jack optional)
(Poly sleeve optional)



VB-3000S
(Poly sleeve and aluminum wheels optional)



VBT-6400
(Poly sleeve and aluminum wheels optional)



VBT-10800
(Poly sleeve and aluminum wheels optional)

**WHEN
HAVE YOU
RELAXED
LATELY @**
facebook.com/venturetrailers

BUNK

MODEL	TIRE SIZE	LOAD CAP.	OVERALL WIDTH	OVERALL BOAT LENGTH	FRAME SIZE	BETWEEN FENDER WIDTH	COUPLER SIZE	BRAKES & TONGUE JACK
SINGLE AXLE BUNK // 1000-2400 LOAD CAPACITY								
VB-1000	4.80 X 12 LRC 4H	1000	62"	12' - 14' *	2 X 3	48"	2"	OPTIONAL
VB-1300	4.80 X 12 LRC 4H	1300	62"	14' - 15' *	2 X 3	48"	2"	OPTIONAL
VB-1500	5.30 X 12 LRC 5H	1500	78"	14' - 15' *	2 X 3	60"	2"	OPTIONAL
VB-1800	5.30 X 12 LRD 5H	1800	78"	15' - 16' *	2 X 3	60"	2"	OPTIONAL
VB-2000	ST175/80D 13 LRC 5H	2000	84"	16' - 17' *	3 X 3	67"	2"	OPTIONAL
VB-2200	ST185/80D 13 LRD 5H	2200	84"	17' - 18' *	3 X 3	67"	2"	OPTIONAL
VB-2400	ST205/75D 14 LRC 5H	2400	88"	17' - 18.5' *	3 X 3	67"	2"	OPTIONAL
SINGLE AXLE BUNK // 2600-3300 LOAD CAPACITY								
VB-2600	ST205/75D 14 LRC 5H	2600	102"	18' - 19' *	3 X 5	84"	2"	OPTIONAL
VB-2800S	ST205/75D 15 LRC 5H	2800	102"	18' - 20' *	3 X 5	84"	2"	OPTIONAL
VB-2800	ST205/75D 15 LRC 5H	2800	102"	20' - 21' *	3 X 5	84"	2"	OPTIONAL
VB-3000S	ST215/75D 14 LRC 5H	3000	102"	18' - 20' *	3 X 5	84"	2"	STANDARD
VB-3100	ST215/75D 14 LRC 5H	3100	102"	20' - 21' *	3 X 5	84"	2"	STANDARD
VB-3300	ST225/75D 15 LRD 6H	3300	102"	20' - 21' *	3 X 5	84"	2"	STANDARD
TANDEM AXLE BUNK // 3600-7900 LOAD CAPACITY								
VB-3600S	ST205/75D 14 LRC 5H	3600	102"	18' - 20' *	3 X 5	84"	2"	STANDARD 1
VB-3700	ST205/75D 14 LRC 5H	3700	102"	21' - 23' *	3 X 5	84"	2"	STANDARD 1
VB-4200	ST205/75D 14 LRC 5H	4200	102"	21' - 23' *	3 X 5	84"	2"	STANDARD 1
VB-4700	ST205/75D 14 LRC 5H	4700	102"	21' - 23' *	3 X 5	84"	2"	STANDARD 1
VB-5200	ST205/75D 15 LRC 5H	5200	102"	21' - 23' *	3 X 5	84"	2"	STANDARD 1
VB-5600	ST205/75D 15 LRC 5H	5600	102"	21' - 23' *	3 X 5	84"	2" (8,000 LB BALL)	STANDARD 1
VB-5900	ST225/75D 15 LRD 5H	5900	102"	24' - 25' *	3 X 5	84"	2" (8,000 LB BALL)	STANDARD 1
VB-6400	ST225/75D 15 LRD 6H	6400	102"	25' - 26' *	3 X 5	84"	2" (8,000 LB BALL)	STANDARD 1
VB-7400	ST225/75D 15 LRD 6H	7400	102"	25' - 27' *	3 X 5	84"	2 5/16"	STANDARD 1
VB-7900	ST225/75D 15 LRD 6H	7900	102"	25' - 27' *	3 X 5	84"	2 5/16"	STANDARD 1
TRIPLE AXLE BUNK // 8600-10800 LOAD CAPACITY								
VB-8600	ST205/75D 14 LRC 5H	8600	102"	27' - 28' *	3 X 5	84"	2 5/16"	STANDARD 2
VB-9200	ST225/75D 15 LRD 6H	9200	102"	28' - 30' *	3 X 5	84"	2 5/16"	STANDARD 2
VB-10800	ST225/75D 15 LRD 6H	10800	102"	29' - 31' *	3 X 5	84"	2 5/16"	STANDARD 2

* Please measure bow-eye to drain measurement on all boats.

VISIT US ONLINE // www.venturetrailers.com

PONTOON

SKIFF

WARRANTY

BUNK

WATERCRAFT

ACCESSORIES



PONTOON STEPS OPTIONAL

POLY SLEEVE STANDARD ON ALL



VP-24-24 EC
(Tongue jack optional)



VPT-26-40 EC



VP-24-24 TRI
(Tongue jack optional)



PONTOON

SKIFF

WARRANTY

PONTOON


MODEL	TIRE SIZE	LOAD CAP.	OVERALL WIDTH	OVERALL BOAT LENGTH	FRAME SIZE	COUPLER SIZE	BRAKES & TONGUE JACK
SINGLE AXLE PONTOON // 2000-2400 LOAD CAPACITY							
VP-20-20-E	20.5 X 8.0 X 10 LRD	2000	102"	18' - 20' *	3 X 4	2"	OPTIONAL
VP-24-20-E	20.5 X 8.0 X 10 LRD	2000	102"	22' - 24' *	3 X 4	2"	OPTIONAL
VP-20-24-E	20.5 X 8.0 X 10 LRE	2400	102"	18' - 20' *	3 X 4	2"	OPTIONAL
VP-24-24-E	20.5 X 8.0 X 10 LRE	2400	102"	22' - 24' *	3 X 4	2"	OPTIONAL
TANDEM AXLE PONTOON // 3000-4000 LOAD CAPACITY							
VPT-24-30-E	5.30 X 12 LRC	3000	102"	23' - 24' *	3 X 4	2"	STANDARD 1
VPT-26-30-E	5.30 X 12 LRC	3000	102"	24' - 26' *	3 X 4	2"	STANDARD 1
VPT-26-40-E	20.5 X 8.0 X 10 LRD	4000	102"	24' - 26' *	3 X 4	2"	STANDARD 1
SINGLE AXLE TRI-TOON // 2000-2400 LOAD CAPACITY							
VP-20-20-TRI	20.5 X 8.0 X 10 LRD	2000	102"	18' - 20' *	3 X 4	2"	OPTIONAL
VP-24-20-TRI	20.5 X 8.0 X 10 LRD	2000	102"	22' - 24' *	3 X 4	2"	OPTIONAL
VP-20-24-TRI	20.5 X 8.0 X 10 LRE	2400	102"	18' - 20' *	3 X 4	2"	OPTIONAL
VP-24-24-TRI	20.5 X 8.0 X 10 LRE	2400	102"	22' - 24' *	3 X 4	2"	OPTIONAL
TANDEM AXLE TRI-TOON // 3000-4000 LOAD CAPACITY							
VPT-24-30-TRI	5.30 X 12 LRC	3000	102"	23' - 24' *	3 X 4	2"	STANDARD 1
VPT-26-30-TRI	5.30 X 12 LRC	3000	102"	24' - 26' *	3 X 4	2"	STANDARD 1
VPT-26-40-TRI	20.5 X 8.0 X 10 LRD	4000	102"	24' - 26' *	3 X 4	2"	STANDARD 1

* Please measure bow-eye to drain measurement on all boats.

VISIT US ONLINE // www.venturetrailers.com


TELL US
YOUR
ACTIVE
LIFE @

facebook.com/venturetrailers



WATERCRAFT

ACCESSORIES



**TELL US
YOUR
LAST
THRILL @**

facebook.com/venturetrailers

VISIT US ONLINE // www.venturetrailers.com

WATERCRAFT

MODEL	TIRE SIZE	LOAD CAP.	OVERALL WIDTH		FRAME SIZE	COUPLER SIZE	TONGUE JACK
SINGLE AXLE WATERCRAFT // 1200-2000 LOAD CAPACITY							
VW-1200	4.80 X 12 LRC 4H	1200	62"	2/3 SEATER	2 X 3	2"	OPTIONAL
VW-2000	20.5 X 8.0 X 10 LRD 5H	2000	102"	DOUBLE	3 X 3	2"	OPTIONAL



SKIFF
WARRANTY


WATERCRAFT
ACCESSORIES

NOW AVAILABLE IN GALVANIZED STEEL OR ALUMINUM.



VASK-2800

(Tongue jack optional)
(Poly sleeve optional)



VASK-4200

(Poly sleeve optional)



VSK-1800

(Tongue jack optional)
(Poly sleeve optional)

SKIFF

SKIFF
WARRANTY

MODEL	TIRE SIZE	LOAD CAP.	OVERALL WIDTH	OVERALL BOAT LENGTH	COUPLER SIZE	BRAKES & TONGUE JACK	# OF AXLES
ALUMINUM SKIFF // 2100-4200 Load Capacity							
VASK-2100	ST175/80D 13 LRC 5H	2100	84"	15' - 17' *	2"	OPTIONAL	1
VASK-2300	ST185/80D 13 LRD 5H	2300	84"	16' - 18' *	2"	OPTIONAL	1
VASK-2500	ST185/80D 13 LRD 5H	2500	102"	17' - 19' *	2"	OPTIONAL	1
VASK-2800	ST205/75D 14 LRC 5H	2800	102"	18' - 21' *	2"	OPTIONAL	1
VASK-3200	ST225/75D 15 LRD 5H	3200	102"	19' - 21' *	2"	STANDARD 1	1
VASK-4200S	ST205/75D 14 LRC 5H	4200	102"	21' - 22' *	2"	STANDARD 1	2
VASK-4200	ST205/75D 14 LRC 5H	4200	102"	22' - 23' *	2"	STANDARD 1	2
GALVANIZED STEEL SKIFF // 1600-2400 Load Capacity							
VSK-1600	20.5 X 8.0 X 10 LRC 5H	1600	84"	15' - 16' *	3 X 3	2"	OPTIONAL 1
VSK-1800	ST175/80D 13 LRC 5H	1800	84"	17' - 18' *	3 X 3	2"	OPTIONAL 1
VSK-2400	ST185/80D 13 LRD 5H	2400	84"	19' - 21' *	3 X 3	2"	OPTIONAL 1

* Please measure bow-eye to drain measurement on all boats.

**ALUMINUM SKIFFS COME
STANDARD WITH ALUMINUM
TONGUE AND CROSSMEMBERS**

Comes standard with a hot
dipped galvanized tongue

VISIT US ONLINE // www.venturetrailers.com

**TELL US
YOUR
FISHING
STORY @**

facebook.com/venturetrailers

ACCESSORIES



PVC LOAD GUIDES



MAST STAND



KEEL ROLLER



LED LIGHTS



DUAL WHEEL
TONGUE JACK



POLY BUNK COVERS



SWING TONGUE

WARRANTY

TRAILER ACCESSORIES

VISIT US ONLINE // www.venturetrailers.com

ADDITIONAL ACCESSORIES AVAILABLE UPON REQUEST.

ACCESSORIES



FOOT JACK



ALUMINUM WHEEL




SPARE TIRE CARRIER



SKI BOAT CROSSMEMBER



OPT. TONGUE LENGTHS



LIMITED WARRANTY

Venture trailers inc. ("Venture"), warrants each new venture trailer (the "trailer") to be free from defects in material and workmanship for a period of two years beginning from the date of original purchase by the original purchaser. Venture shall repair or replace at venture's sole option, without charge, any parts that are determined by venture to be defective because of imperfect workmanship or materials within a reasonable time after the trailer is returned at purchaser's expense to any venture authorized dealer or distributor.

This warranty is extended to the original purchaser only and does not extend to any other persons to whom the trailer may be transferred. The use of any trailer as part of a rental fleet or for commercial purposes voids this warranty.

Provisions of this warranty shall not apply to any product which is found to have been modified or altered in any way or to any defect or malfunction which was caused by damage, unreasonable use or failure to provide reasonable and necessary maintenance. This warranty will not cover damage caused by overloading the trailer beyond stated capacities or the use of improperly installed weight distribution hitches. The formation of rust is not covered by this warranty due to the highly corrosive conditions to which a trailer may be exposed. This warranty does not cover winches, lights, couplers, brakes, tongues jacks, springs, axles and tire or wheels, as these items are warranted separately by the manufacturer of those parts. This warranty also does not cover defects, damage or malfunctions caused by improper configuration caused by any dealer or distributor of the trailer.

THE WARRANTIES SET FORTH HEREIN ARE THE SOLE AND EXCLUSIVE WARRANTIES OF VENTURE WITH RESPECT TO THE TRAILER AND ARE MADE IN LIEU OF ALL OTHER WARRANTIES. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, BY OPERATION OF LAW OR OTHERWISE FOR THE TRAILER AND VENTURE DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL VENTURE, ITS SUBSIDIARIES, AFFILIATES, AGENTS OR EMPLOYEES BE LIABLE FOR ANY INCIDENTAL, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH OR ARISING OUT OF THE PURCHASE OF THE TRAILER, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS OR REVENUES, LOSS OF TIME, TOWING CHARGES, TRAVEL EXPENSES, LODGING, TELEPHONE, GAS LOSS, DAMAGE TO PERSONAL PROPERTY, LOSS WAGES, LOSS OF USE OF THE TRAILER OR ANY MARINE EQUIPMENT, DAMAGE TO MARINE EQUIPMENT, COSTS OF SUBSTITUTE MARINE EQUIPMENT, OR CLAIMS FOR SUCH DAMAGES.

IN NO EVENT SHALL VENTURE, ITS SUBSIDIARIES, AFFILIATES, AGENTS OR EMPLOYEES BE LIABLE FOR THE NEGLIGENCE, GROSS NEGLIGENCE OR OTHER INTENTIONAL MISCONDUCT OF ANY THIRD PARTY NOR SHALL VENTURE BE LIABLE FOR ITS OWN NEGLIGENCE. THE PURCHASER'S SOLE REMEDY FOR ANY LIABILITY OF VENTURE OF ANY KIND SHALL BE LIMITED TO THE REPAIR OR REPLACEMENT OF THE TRAILER OR TRAILER PARTS.

- This warranty is intended to comply with the 'Mangusson-Moss Warranty Federal Trade Commissions Improvement Act, as amended, and any provisions of this warranty or actions taken by Venture pursuant to this warranty shall be construed accordingly.
- Some states do not allow the exclusion or limitation of incidental or consequential damages, so those limitations or exclusions may not apply to you.
- This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.
- Venture reserves the right to change models or specifications without prior notice.

OUR COMPLETE LINE OF TRAILERS

- Water Vehicle Trailers
- Bunk Trailers
- Roller Trailers
- Pontoon Trailers
- Skiff Trailers
- Aluminum Trailers

VENTURE

VENTURE TRAILERS

We take the world boating.



YOUR AUTHORIZED DEALER

VENTURE TRAILERS, INC.

5301 NORTH POINT BLVD. BALTIMORE, MD 21219

phone 410-388-1000 // fax 410-388-1810

www.venturetrailers.com

BASIC PRODUCT INFORMATION: venture@venturetrailers.com

TECHNICAL ASSISTANCE: trailers@venturetrailers.com